



Estimate

Number

E102

Date

10/18/2019

Bill To

28' RC Aluminum Race Trailer

Description	Quantity	Price Each	Amount
ARCS 8.5 x 28 TA3		\$12,040.00	\$12,040.00
6 Bolt Aluminum Wheel -- IPO 6 Bolt Whitel 225/75R15 (D)	4.00	\$101.00	\$404.00
Round Dot Rubber Flooring - Black	28.00	\$39.00	\$1,092.00
12v Wall Switch		\$17.00	\$17.00
LED- 600 Diode interior/exterior Flood Light- must add switch	2.00	\$180.00	\$360.00
.040 Ext. Aluminum -28' Tag		\$1,008.00	\$1,008.00
ATP Stone Guard 24" Tall		\$150.00	\$150.00
Roof Vent (Braced and Wired for AC)		\$84.00	\$84.00
Screwless Sides	28.00	\$17.00	\$476.00
Fender Flares- Single	4.00	\$56.00	\$224.00
flush RV Lock		\$50.00	\$50.00
ATP on std. Height Ramp Door & Flap		\$364.00	\$364.00
30" x 36" Generator Door		\$157.00	\$157.00
Metal Door Holdbacks IPO Plastic		\$11.00	\$11.00
Aluminum Pull Out Step		\$280.00	\$280.00
110v GFI ext.		\$73.00	\$73.00
110v GFI int.		\$73.00	\$73.00
8' Aluminum Straight Base or L-Base Cabinet, Overhead, and Closet		\$1,848.00	\$1,848.00



Estimate


Number	E102
Date	10/18/2019

Bill To
 28' RC Aluminum Race Trailer

Description	Quantity	Price Each	Amount
LED - Electric Package #1 (2) LED 39.5" Dual Interior Strip Lights 12-Volt Battery & Box (1) 12-Volt Wall Switch (1) 30 Amp Service w/Life Line (2) 110-Volt Interior Recepts Converter, 110-Volt to 12- Volt w/110-Volt Recept		\$952.00	\$952.00
10% Material Surcharge to be added to all order welding after Febuary 12th	1	\$1,966.00	\$1,966.00
Factory Delivery to Marengo		\$300.00	\$300.00

Total **\$21,929.00**

PLAN VIEW



DRAFT

CUSTOMER APPROVAL

- APPROVED
- REVISE & RESUBMIT

INITIALS: _____ DATE: _____



Middlebury, IN 46540
 Phone: 574-825-9518
 Fax: 574-825-2025
 Toll Free: 877-283-7260

DATE: 10/17/2019

SERIAL: 656351

DRAWN BY: Dan Monroe

SHEET: 1 of 2

MODEL: ARCS 8.5x28 TA 3

REV DATE: na


DEALER:

Hodges West Side Truck Center


REV
0

30 AMP PANEL (INSIDE OVERHEAD)	BATTERY BOX	MOTOR BASE PLUG	D-RING
12V DOME LIGHT	12V SWITCH (42" AFF unless noted)	EXTERIOR GFI RECEPT	

RS VIEW



CS VIEW



DRAFT

CUSTOMER APPROVAL

- APPROVED
- REVISE & RESUBMIT

INITIALS: _____ DATE: _____



Middlebury, IN 46540
 Phone: 574-825-9518
 Fax: 574-825-2025
 Toll Free: 877-283-7260

DATE: 10/17/2019

SERIAL: 656351

DRAWN BY: Dan Monroe

SHEET: 2 of 2

MODEL: ARCS 8.5x28 TA 3

REV DATE: na

DEALER:

Hodges West Side Truck Center

REV
0

ARCS

Crown Series

Race Trailer

Flat Top

Torsion Axles



Show with Optional Lights and Wheels

STANDARD FEATURES & SPECIFICATIONS

Hitch

- 2-5/16" Coupler
- 3rd Member Tongue on 5,200 lb. Axles & Greater

Axle

- Torsion Axles

Tires and Rims

- ST205/75R15 C Rated Radial Tires w/TA2 Axles
- ST225/75R15 D Rated Radial Tires w/TA3 Axles
- White Wheels

Frame

- 2" x 5" Tube Mains
- 16" On Center Walls
- 16" On Center Floor
- 16" On Center Roof
- 4' Beavertail On 18' or Longer Models

Doors

- Ramp Door With Spring Assist
- Recessed Camlocks On Ramp Door
- 48" Double RV Door

Interior

- 3/4" Engineered Wood Flooring and Ramps
- 3/8" Plywood Walls
- White Vinyl Insulated Ceiling
- (4) D-Rings
- 78" Interior Height

Exterior

- .030 Exterior Metal
- (1) Piece Aluminum Roof
- Brite Front Corners
- Brite Rear Hoop
- Cast Corners Front & Rear
- Brite Wrap On Front
- 3" Extruded Lower Trim
- 6" Extruded Upper Trim
- (1) Roof Vent

Electrical

- 7-Way Plug
- Breakaway Box, Battery, & Switch
- 12-Volt Deluxe LED Dome Lights With Switch
- LED Strip Tail/Brake Lights, Surface Mounted
- LED M5 Chrome Clearance Lights













TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed **2,572** kg or **5,670** lbs.
 Le poids du chargement ne doit jamais dépasser

TIRE / PNEU	SIZE / DIMENSIONS	COLD TIRE PRESS. / PRESS. DES PNEUS À FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION / VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FR/AV	ST225/75R15D	448 KPA (65 PSI)	
INT/INT	NONE/AUCUN		
RR/AR	ST225/75R15D	448 KPA (65 PSI)	
SPARE/DE SECOURS	NONE/AUCUN		

56VBE2820LM656351

MANUFACTURED BY / FABRIQUÉ PAR : RC TRAILERS, INC.
 DATE : 11/2019 GVWR / PNBV : 4531 KG (9990 LB)

GAWR (EACH AXLE) / PNBE (CHAQUE ESSIEU)	TIRE / PNEU	RIM / JANTE	COLD INFL. PRESS. / PRESS. DE GONFL. À FROID KPA (PSI / LPC)
2359 KG (5200 LB)	ST225/75R15D	15X6	448 KPA (65 PSI) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. / CE VEHICULE EST CONFORME À TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR À LA DATE DE SA FABRICATION

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N./N.I.V.: **56VBE2820LM656351** TYPE: TRA/REM ARCS 8.5X28TA3



Custom Race Trailers



CALL KELLY



(815) 529-2647

Family Ran Business